



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/817,629

03/26/2001

Neophytos A. Antoniadis

CRNG.010 SP01-024

6884

7590

06/01/2004

Susan Morse
Suite 150
12200 Sunrise Valley Drive
Reston, VA 20191

EXAMINER

SINGH, DALZID E

ART UNIT

PAPER NUMBER

2633

5

DATE MAILED: 06/01/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/817,629

Applicant(s)

ANTONIADES ET AL.

Examiner

Dalzid Singh

Art Unit

2633

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 March 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 2, 5, 6, 10, 11, 20, 21, 24-26, 28 and 34 are rejected under 35 U.S.C. 102(b) as being anticipated by Khaleghi et al (US Patent No. 6,040,933).

Regarding claims 1 and 20, as shown in Fig. 1, Khaleghi et al show channel equalization (i.e., optimizer) for transmission system between transmission terminal (12) and reception terminal (14) having at least two channel (for example, s1 – s4), the system comprising:

a processor (18) which determines an adjustment for equalizing a predetermined characteristic for each channel and reduces the adjustment by a predetermined amount (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel); and,

a plurality of controllers, each controller associated with a transmitter in the transmission terminal, wherein each controller receives the reduced adjustment for an associated channel and provides the reduced adjustment to an associated transmitter (see col. 3, lines 29-31 and col. 8, lines 7-30, Khaleghi et al disclose that each

transmitter has a control input for controlling optical power; therefore, based on this teaching, it is inherent that there exist a control unit on each transmitter in order to control optical power of the transmitter. Moreover, as shown in Fig. 1 and cited in col. 3, lines 27-29, since there are plurality of transmitters (Tx1 – Tx4) and each controller corresponds to each transmitter, therefore there must be plurality of controllers).

Regarding claims 2 and 21, Khaleghi et al teach that the predetermined amount is determined in accordance with a profile of the quality of the signal (see col. 8, lines 7-12, Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, see col. 4, lines 11-19, therefore the predetermined amount is determined in accordance with a profile of the quality of the signal).

Regarding claims 5 and 24, Khaleghi et al teach that the predetermined characteristic is optical power (see col. 7, lines 49-54 and col. 8, lines 7-30, Khaleghi et al teach adjustment of optical power).

Regarding claims 6 and 25, Khaleghi et al teach that the predetermined characteristic is optical signal to noise ratio, OSNR, (see col. 8, lines 7-10).

Regarding claims 10 and 26, Khaleghi et al teach that the processor (18) receives measured signals of the predetermined characteristic and determines the adjustment in accordance with the measured signals (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel).

Regarding claims 11 and 28, Khaleghi et al teach that the processor calculates the predetermined characteristic in accordance with physical parameters of the transmission system (see col. 8, lines 7-30 , Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, produced by optical amplifier in the form of amplified spontaneous emission, see col. 4, lines 11-19, since optical amplifier is a physical component of the transmission system, therefore the predetermined amount is determined in accordance with physical parameters of the transmission system).

Regarding claim 34, as shown in Fig. 4 and cited in col. 7, lines 32-54, Khaleghi et al show that receiving of the optical signal is from at least one of the reception terminal (Rx5 or Rx6) and a non-terminal point in the transmission system (Khaleghi et al show that receiving of the optical signal is from the reception terminal shown as Rx 5 or Rx6).

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 3, 12, 13 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Khaleghi et al (US Patent No. 6,040,933).

Regarding claims 3 and 22, Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system comprising a processor for determining adjustment of optical power and differ from these claims in that Khaleghi et al do not specifically teach that the predetermined amount is 0.5 of the adjustment. However, Khaleghi et al clearly suggest that the optical power is adjustable by a predetermined amount. Based on this teaching, it would have been obvious to an artisan at the time of the invention to adjust the optical power to be within the predetermined value such as 0.5. Furthermore, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. *In re Swain et al.*, 33 CCPA (Patents) 1250, 156 F.2d 239, 70 USPQ 412; *Minnesota Mining and Mfg. Co. v. Coe*, 69 App D.C. 217, 99 F.2d 986, 38 USPQ 213; *Allen et al. v. Coe*, 77 App D.C. 324, 135 F.2d 11, 57 USPQ 136. In addition, discovery of an optimum value of a result effective variable in a known process is ordinarily within the skill of the art. *In re Antonie*, 559 F.2d 239, 618, 195 USPQ 6 (CCPA 1977); *In re Aller*, 42 CCPA 824, 220 F.2d 454, 105 USPQ 233 (1955). See also *In re Aller*, 105 USPQ 233 (CCPA 1955) and *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Therefore, it would have been obvious to set the adjustment of the optical power to be within an optimum or workable value or range, such as 0.5, by routine experimentation.

Regarding claims 12 and 13, Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system comprising controllers for controlling the transmitters (see claim 1 for discussion of the controller) and differ from these claims in that Khaleghi et al do not specifically disclose that the controller are provided at the output of

the transmitter or integral with the transmitters. However, it would have been a matter of design choice to an artisan of ordinary skill in the art to provide control of the transmitter at the output of the transmitter or integral of the transmitter. This supporting rationale is based on a recognition that claimed differences exist not as a result of an attempt by applicant to solve problem, but merely amounts to selection of location known to an artisan of ordinary skill as design choice.

5. Claims 7-9 rejected under 35 U.S.C. 103(a) as being unpatentable over Khaleghi et al (US Patent No. 6,040,933) in view of Khoe et al (US Patent No. 4,942,568).

Regarding claim 7, Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system between transmission terminal (12) and reception terminal (14) having at least two channel (for example, s1 – s4) comprising a processor (18).

Khaleghi et al differ from this claim in that Khaleghi et al do not specifically disclose a wavelength selective switch on at least one location in the transmission system, said wavelength selective switch allowing each channel to be processed by said processor. However, such wavelength selective switch is well known. Khoe et al is cited to show the use of wavelength selective switch for allow each channel to be processed by the processor (40) (see figure 2, Khoe et al show wavelength selective switch (10) allowing each channel, (λ_1 to λ_N), coupled from coupler 13, to be processed by the processor (40)). Since information signal are transmitted in multiplexed fashion comprising of multiple wavelengths, due to noise and signal degradation, each wavelength of the multiplexed signal varies in signal strength (i.e., optical power). Therefore, there needs

Art Unit: 2633

to be a system which measures signal quality of the multiplexed signal or signal quality of each wavelength signal. Since the wavelength selective switch of Khoe et al is well known, therefore it would have been obvious to an artisan of ordinary skill in the art to provide wavelength selective coupler of Khoe et al to the system of Khaleghi et al. One of ordinary skill in the art would have been motivated to do such in order to measure and monitor signal quality of each wavelength in order to equalize signal quality and provide a robust communication system.

Regarding claims 8 and 9, as discussed above, the combination of Khaleghi et al and Khoe et al teaches channel equalization (i.e., optimizer) for transmission system comprising wavelength selective coupler and differs from these claims in that the combination does not teach that the wavelength selective coupler can be located at plurality of locations or in the intermediate location of the transmission path. However, as the transmission line spans longer, it would have been obvious to provide the location of the wavelength selective switch at plurality of locations in the transmission path (including at the intermediate location) in order to obtain frequent measurements of the optical signal. As the transmission line spans longer, degradation of the signal quality increases, therefore, one of ordinary skill in the art would have been motivated to provide the wavelength switch coupler at plural location including the intermediate location of the transmission span in order to minimize or eliminate noise within the optical signal.

6. Claims 4, 14-19, 23, 29 and 30-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Khaleghi et al (US Patent No. 6,040,933) in view of Swanson et al (US Patent No. 6,433,904).

Regarding claims 14 and 29, as shown in Fig. 1, Khaleghi et al show channel equalization (i.e., optimizer) for transmission system between transmission terminal (12) and reception terminal (14) having at least two channel (for example, s1 – s4), the system comprising:

a processor (18) which determines an adjustment for equalizing a predetermined characteristic for each channel (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel); and,

a plurality of controllers, each controller associated with a transmitter in the transmission terminal, wherein each controller receives the reduced adjustment for an associated channel and provides the reduced adjustment to an associated transmitter (see col. 3, lines 29-31 and col. 8, lines 7-30, Khaleghi et al disclose that each transmitter has a control input for controlling optical power; therefore, based on this teaching, it is inherent that there exist a control unit on each transmitter in order to control optical power of the transmitter. Moreover, as shown in Fig. 1 and cited in col. 3, lines 27-29, since there are plurality of transmitters (Tx1 – Tx4) and each controller corresponds to each transmitter, therefore there must be plurality of controllers).

Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system comprising a processor for determining adjustment of optical power as discussed above and differ from these claims in that Khaleghi et al do not specifically disclose that the adjustment is in accordance with fiber non-linearities of the system. However, it is well known in the optical communication that non-linearities of the transmission system is the function of optical power. As the optical power increases, non-linearities of the system increases. Swanson et al is cited to show such well known concept (see col. 2, lines 19-27). Therefore, it would have been obvious to an artisan of ordinary skill in the art to control optical power of the transmission system as discussed by Khaleghi et al in order to control fiber non-linearities of the transmission system. One of ordinary skill in the art would have been motivated to do this in order to increase signal to noise ratio of the system which will allow greater transmission capacity.

Regarding claims 4, 15, 17, 23, 30 and 32, Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system comprising a processor for determining adjustment of optical power in accordance with a relative influence of noise as discussed above and differ from these claims in that Khaleghi et al do not specifically disclose that the adjustment is in accordance with fiber non-linearities of the system. However, it is well known in the optical communication that non-linearities of the transmission system is the function of optical power. As the optical power increases, non-linearities of the system increases. Swanson et al is cited to show such well known concept (see col. 2, lines 19-27). Therefore, it would have been obvious to an artisan of ordinary skill in the art to control optical power of the transmission system as discussed

by Khaleghi et al in order to control fiber non-linearities of the transmission system.

One of ordinary skill in the art would have been motivated to do this in order to increase signal to noise ratio of the system which will allow greater transmission capacity.

Regarding claims 16 and 31, Khaleghi et al teach that the predetermined amount is determined in accordance with a profile of the quality of the signal (see col. 8, lines 7-12, Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, see col. 4, lines 11-19, therefore the predetermined amount is determined in accordance with a profile of the quality of the signal).

Regarding claim 18 and 33, Khaleghi et al teach that the processor (18) receives measured signals of the predetermined characteristic and determines the adjustment in accordance with the measured signals (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel).

Regarding claims 19 and 35, Khaleghi et al teach that the processor calculates the predetermined characteristic in accordance with physical parameters of the transmission system (see col. 8, lines 7-30, Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, produced by optical amplifier in the form of amplified spontaneous emission, see col. 4, lines 11-19, since optical amplifier is a physical

Art Unit: 2633

component of the transmission system, therefore the predetermined amount is determined in accordance with physical parameters of the transmission system).

Regarding claim 34, as shown in Fig. 4 and cited in col. 7, lines 32-54, Khaleghi et al show that receiving of the optical signal is from at least one of the reception terminal (Rx5 or Rx6) and a non-terminal point in the transmission system (Khaleghi et al show that receiving of the optical signal is from the reception terminal shown as Rx 5 or Rx6).

Response to Arguments

7. Applicant's arguments with respect to claims 1-35 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dalzid Singh whose telephone number is 703-306-5619. The examiner can normally be reached on Mon-Fri 8am - 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on 703-305-4729. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2633

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DS

May 19, 2004

David Singh